



Christine Gilliam, M.D.
21738 Hardy Oak Blvd. Ste. 103
San Antonio, TX 78258
Tel. (210) 647-3838
Fax (210) 403-3166
www.everyonesent.com

INSTRUCTIONS AFTER ADENOID SURGERY

1. When your child wakes up he or she may not feel well. They may be upset initially from anesthesia. This should clear within 24-hours.
2. Your child's voice will often sound different for several weeks and there may be very bad breath noted for a few days after the adenoids are removed.
3. Do Scheduled Tylenol every 4 hrs for the 1st 48 hours then as needed. Give the Tylenol according to their age/weight and the bottle directions.
4. **Do not** use Aspirin/Motrin related products.
5. Ear pain can occur with adenoidectomy. This may last three to five days but is generally not due to an ear infection, but a referred pain from surgery.
6. Serious bleeding is exceedingly rare after an adenoidectomy. A small amount of bloody drainage from nose or throat is normal but if there is a large amount of bright red bleeding from the nose or throat call immediately.
7. Severe nasal congestion can occur for a few days after surgery. Use ocean spray in the nose as needed for congestion. You may use over the counter Afrin 1 squirt in each nostril am and pm for 3 days after surgery for severe nasal congestion.
8. Your child may resume a regular diet as soon as he or she likes. Staying well hydrated is the most important thing post-operative. If your child is not hungry, that is okay. Drinking is more important. No caffeinated beverages for 2 weeks after surgery.