

Christine Gilliam, M.D.

502 Madison Oak Drive, Suite 140 San Antonio, TX 78258 (210) 647-3838 Tel (210) 403-3166 Fax www.EveryonesENT.com

INSTRUCTIONS AFTER ADENOID SURGERY

- 1. When your child wakes up he or she may not feel well. They may be upset initially from anesthesia. This should clear within 24-hours.
- 2. Your child's voice will often sound different for several weeks and there may be very bad breath noted for a few days after the adenoids are removed.
- 3. Do Scheduled Tylenol every 4 hrs for the 1st 48 hours then as needed. Give the Tylenol according to their age/weight and the bottle directions.
- 4. **<u>Do not</u>** use Aspirin/Motrin related products.
- 5. Ear pain can occur with adenoidectomy. This may last three to five days but is generally not due to an ear infection, but a referred pain from surgery.
- 6. Serious bleeding is exceedingly rare after an adenoidectomy. A small amount of bloody drainage from nose or throat is normal but if there is a large amount of bright red bleeding from the nose or throat call immediately.
- 7. Severe nasal congestion can occur for a few days after surgery. Use ocean spray in the nose as needed for congestion. You may use over the counter Afrin 1 squirt in each nostril am and pm for 3 days after surgery for <u>severe</u> nasal congestion.
- 8. Your child may resume a regular diet as soon as he or she likes. Staying well hydrated is the most important thing post-operative. If your child is not hungry, that is okay. Drinking is more important. No caffeinated beverages for 2 weeks after surgery.